

Kokkola Senior Open 2025



Oil Pattern Distance Forward Oil Total Tank Configuration

11.08 mL Multi Tank

38

Reverse Brush Drop Reverse Oil Total Tank A Conditioner 36 10.8 mL TERRAIN Oil Per Board Volume Oil Total Tank B Conditioner 40 ul 21.88 mL CURRENT

1 4L 4R 1 14 3 A 33 0.0 0.0 0.0 1320 2 5L 5R 2 14 3 A 62 0.0 3.9 3.9 2480 3 7L 7R 2 14 3 A 54 3.9 7.8 3.9 2160 4 9L 9R 3 14 3 A 69 7.8 13.7 5.9 2760 5 10L 10R 2 18 3 A 42 13.7 18.8 5.1 1680 6 12L 12R 1 18 3 A 17 18.8 21.3 2.5 680 7 2L 2R 0 18 3 A 0 21.3 24.0 2.7 0 8 2L 2R 0 26 3 A 0 24.0 31.0 7.0 0 9 2L 2R 0 26 3 A 0		START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
3 7L 7R 2 14 3 A 54 3.9 7.8 3.9 2160 4 9L 9R 3 14 3 A 69 7.8 13.7 5.9 2760 5 10L 10R 2 18 3 A 42 13.7 18.8 5.1 1680 6 12L 12R 1 18 3 A 17 18.8 21.3 2.5 680 7 2L 2R 0 18 3 A 0 21.3 24.0 2.7 0 8 2L 2R 0 22 3 A 0 24.0 31.0 7.0 0	1	4L	4R	1	14	3	Α	33	0.0	0.0	0.0	1320
4 9L 9R 3 14 3 A 69 7.8 13.7 5.9 2760 5 10L 10R 2 18 3 A 42 13.7 18.8 5.1 1680 6 12L 12R 1 18 3 A 17 18.8 21.3 2.5 680 7 2L 2R 0 18 3 A 0 21.3 24.0 2.7 0 8 2L 2R 0 22 3 A 0 24.0 31.0 7.0 0	2	5L	5R	2	14	3	Α	62	0.0	3.9	3.9	2480
5 10L 10R 2 18 3 A 42 13.7 18.8 5.1 1680 6 12L 12R 1 18 3 A 17 18.8 21.3 2.5 680 7 2L 2R 0 18 3 A 0 21.3 24.0 2.7 0 8 2L 2R 0 22 3 A 0 24.0 31.0 7.0 0	3	7L	7R	2	14	3	Α	54	3.9	7.8	3.9	2160
6 12L 12R 1 18 3 A 17 18.8 21.3 2.5 680 7 2L 2R 0 18 3 A 0 21.3 24.0 2.7 0 8 2L 2R 0 22 3 A 0 24.0 31.0 7.0 0	4	9L	9R	3	14	3	Α	69	7.8	13.7	5.9	2760
7 2L 2R 0 18 3 A 0 21.3 24.0 2.7 0 8 2L 2R 0 22 3 A 0 24.0 31.0 7.0 0	5	10L	10R	2	18	3	Α	42	13.7	18.8	5.1	1680
8 2L 2R 0 22 3 A 0 24.0 31.0 7.0 0	6	12L	12R	1	18	3	Α	17	18.8	21.3	2.5	680
	7	2L	2R	0	18	3	Α	0	21.3	24.0	2.7	0
9 2L 2R 0 26 3 A 0 31.0 38.0 7.0 0	8	2L	2R	0	22	3	Α	0	24.0	31.0	7.0	0
	9	2L	2R	0	26	3	Α	0	31.0	38.0	7.0	0

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	3	В	0	38.0	31.0	-7.0	0
2	11L	11R	1	22	3	В	19	31.0	27.9	-3.1	760
3	9L	9R	1	18	3	В	23	27.9	25.4	-2.5	920
4	8L	8R	3	18	3	В	75	25.4	17.8	-7.6	3000
5	7L	7R	2	14	3	В	54	17.8	13.9	-3.9	2160
6	6L	6R	1	14	3	В	29	13.9	12.0	-1.9	1160
7	3L	3R	2	14	3	В	70	12.0	8.1	-3.9	2800
8	2L	2R	0	10	3	В	0	8.1	0.0	-8.1	0

Cleaner Ratio Main Mix 10:1 Forward
Cleaner Ratio Back End Mix 19:1 Reverse
Cleaner Ratio Back End Distance 39 Combined
Buffer RPM: 4 = 650 | 3 = 500 | 2 = 300 | 1 = 200



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Mlddle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	4.04	1.17	1	1	1.17	4.04



